

30 Herrett





Handgun:	Thompson Center	Bullet Diameter:	0.308"
Barrel:	10", 1 in 14" Twist	Maximum COL:	2.320"
Case:	Hornady/Frontier Ref.	Max. Case Length:	1.605"
Primer:	Federal 210	Case Trim Length:	1.595"

Exploring the numerous cartridges presented in the Handgun Loading Data section of this volume, the influence of Thompson/Center Arms on modern handgunning is apparent. The 30 Herrett originated as the product of Steve Herrett and Bob Milek in 1972 for chambering in Thompson/Center pistols.

Cases for the 30 Herrett are formed from 30-30 Winchester cases. Sizing is a critical step in properly forming the 30 Herrett. If the case is not sized enough and closing is difficult, accuracy will suffer and pressure signs will appear prematurely. If the case is sized too much, excessive head space creates misfires and unnecessary case stretch, which diminishes case life. To eliminate such problems, the size die should first be adjusted so the action will not close on the sized case. Next the die must be turned approximately a sixteenth of a revolution at a time, checking the sized cases in the action after each adjustment. When the action shuts easily, the die is adjusted.

Hornady 110 and 130 grain Spire Point bullets were accurate in our barrel, best loads for the former with WIN 296. For the metallic silhouette shooter, our 150 grain Spire Point and 23 grains of IMR 4198 makes an excellent Ram load.

110 GRAIN BULLETS


SECTIONAL DENSITY:
DIAMETER:0.166
0.308"**110 gr. FMJ-RN**
Item No. 3017
C.O.L.: 1.995"
G1 B.C.: 0.178**110 gr. RN**
Item No. 3015
C.O.L.: 1.995"
G1 B.C.: 0.150**110 gr. SP**
Item No. 3010
C.O.L.: 2.320"
G1 B.C.: 0.256**110 gr. V-MAX®**
Item No. 23010
C.O.L.: 2.320"
G1 B.C.: 0.290

VELOCITY (FPS – feet per second)

POWDER	2000	2100	2200	2300	2400
Alliant 2400	18.0 gr.	19.3 gr.	20.6 gr.	21.9 gr.	
WIN 296	18.7 gr.	20.1 gr.	21.5 gr.	22.9 gr.	24.3 gr.
IMR 4227	21.6 gr.	22.5 gr.	23.4 gr.	24.2 gr.	25.1 gr.
IMR 4198	23.7 gr.	25.3 gr.	26.8 gr.	28.4 gr.	

Create custom ballistic tables using our online calculators at hornady.com/ballistics

130 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.196
0.308"**130 gr. SP**
Item No. 3020
C.O.L.: 2.320"
G1 B.C.: 0.295


VELOCITY (FPS – feet per second)

POWDER	1800	1900	2000	2100	2200
WIN 296	17.6 gr.	18.9 gr.	20.1 gr.	21.4 gr.	
IMR 4227	18.7 gr.	19.9 gr.	21.2 gr.	22.5 gr.	
IMR SR-4759	18.5 gr.	20.5 gr.	22.4 gr.		
IMR 4198		22.8 gr.	24.3 gr.	25.9 gr.	27.4 gr.


Create custom ballistic tables using our online calculators at hornady.com/ballistics

150-155 GRAIN BULLETS


SECTIONAL DENSITY: 0.226-0.233
DIAMETER: 0.308"




150 gr. FMJ-BT
Item No. 3037
C.O.L.: 2.310"
G1 B.C.: 0.398



150 gr. InterLock® RN
Item No. 3035
C.O.L.: 2.310"
G1 B.C.: 0.186




150 gr. InterLock® BTSP
Item No. 3033
C.O.L.: 2.310"
G1 B.C.: 0.349




150 gr. InterLock® SP
Item No. 3031
C.O.L.: 2.310"
G1 B.C.: 0.338



150 gr. InterBond®
Item No. 30309
C.O.L.: 2.310"
G1 B.C.: 0.415



150 gr. SST®
Item No. 30302
C.O.L.: 2.310"
G1 B.C.: 0.415



155 gr. A-MAX®
Item No. 30312
C.O.L.: 2.310"
G1 B.C.: 0.435

POWDER	VELOCITY (FPS – feet per second)				
	1600	1700	1800	1900	2000
WIN 296	15.8 gr.	17.2 gr.	18.6 gr.	20.0 gr.	
IMR 4227	18.3 gr.	19.4 gr.	20.4 gr.	21.5 gr.	
IMR 4198	20.0 gr.	21.4 gr.	22.8 gr.	24.2 gr.	25.7 gr.

Create custom ballistic tables using our online calculators at hornady.com/ballistics